

Serial No.: 10/714,994
Inventor(s): Morin et al.

U.S. PTO Customer No. 25280
Case No.: 5150A

AMENDMENTS TO THE CLAIMS

1-8. (Cancelled)

9. (Previously presented) An article comprising:

a base substrate having a first side and a second side;

a plurality of receiving loop yarns extending from the first side of said base substrate, the receiving loop yarns comprising a multi-filament yarn; and,

a plurality of stiff loop yarns extending from the first side of said base substrate, each of said plurality of stiff loop yarns comprising a filament yarn having a denier per filament of at least about 10 denier per filament greater than the multi-filament yarns of the receiving loop yarns, and wherein the stiff loop yarns are stiffer than the receiving loop yarns.

10. (Previously presented) The article according to Claim 9, wherein the base substrate comprises a knitted cloth.

11. (Previously presented) The article according to Claim 9, wherein the receiving loop yarns have a denier per filament of from about 0.01 to about 5.

12. (Previously presented) The article according to Claim 9, wherein the receiving loop yarns have a denier per filament of less than about 1.

13. (Previously presented) The article according to Claim 9, wherein the receiving loop yarns have from 10 to 10,000 filaments per yarn.

14. (Previously presented) The article according to Claim 9, wherein the stiff loop yarns comprise a mono-filament yarn.

15. (Previously presented) The article according to Claim 14, wherein the stiff loop yarns include a cross-section with an aspect ratio of greater than 1.2.

16. (Previously presented) The article according to Claim 14, wherein the stiff loop yarns include a cross-sectional shape including at least one corner edge.

Serial No.: 10/714,994
Inventor(s): Morin et al.

U.S. PTO Customer No. 25280
Case No.: 5150A

17. (Previously presented) The article according to Claim 14, wherein the stiff loop yarn include a rectangular cross section.

18. (Previously presented) The article according to claim 14, wherein the stiff loop yarns comprise a slit film.

19. (Previously presented) The article according to Claim 9, wherein the stiff loop yarns comprise a multi-filament yarn.

20. (Withdrawn) An article comprising:

a base substrate having a base substrate first side and a second side;

a plurality of receiving loop yarns extending from the first side of said base substrate, the receiving loop yarns comprising staple yarns; and

a plurality of stiff loop yarns extending from the first side of said base substrate, wherein the stiff loop yarns are stiffer than the receiving loop yarns.

21. (Withdrawn) The article according to Claim 20, wherein the base substrate comprises a knitted cloth.

22. (Withdrawn) The article according to Claim 20, wherein the stiff loop yarns comprise a mono-filament yarn.

23. (Withdrawn) The article according to Claim 22, wherein the stiff loop yarns include a cross-section having at least one corner edge.

24. (Withdrawn) The article according to Claim 22, wherein the stiff loop yarns include a cross-section having an aspect ratio of greater than 1.2.

24. (Withdrawn) An article according to Claim 22, wherein the stiff loop yarns include a

Serial No.: 10/714,994
Inventor(s): Morin et al.

U.S. PTO Customer No. 25280
Case No.: 5150A

cross-section having a rectangular shape.

25. (Withdrawn) The article according to Claim 22, wherein the stiff loop yarns comprise a slit film.

26. (Withdrawn) The article according to Claim 20, wherein the stiff loop yarns comprise multi-filament yarns.

27. (New) An article comprising:

a base substrate having a first side and a second side;

a plurality of receiving loop yarns extending from the first side of said base substrate, the receiving loop yarns comprising a multi-filament yarn; and,

a plurality of stiff loop yarns extending from the first side of said base substrate, each of said plurality of stiff loop yarns comprising a filament yarn having a denier per filament of at least about 10 denier per filament greater than the multi-filament yarns of the receiving loop yarns, wherein the stiff loop yarns are stiffer than the receiving loop yarns, and wherein the stiff yarns have a cross-sectional shape selected from the group consisting of a shape having at least one corner edge, a rectangle, and a shape having an aspect ratio of greater than 1.2.

28. (New) An article comprising:

a base substrate having a first side and a second side;

a plurality of receiving loop yarns extending from the first side of said base substrate, the receiving loop yarns comprising a multi-filament yarn; and,

a plurality of stiff loop yarns extending from the first side of said base substrate, each of said plurality of stiff loop yarns comprising a filament yarn having a denier per filament of at least about 10 denier per filament greater than the multi-filament yarns of the receiving loop yarns, wherein the stiff loop yarns are stiffer than the receiving loop yarns, and wherein the stiff loop yarns comprise a slit film.

Serial No.: 10/714,994
Inventor(s): Morin et al.

U.S. PTO Customer No. 25280
Case No.: 5150A

29. (New) An article comprising:

a base substrate having a first side and a second side;

a plurality of receiving loop yarns extending from the first side of said base substrate, the receiving loop yarns comprising a multi-filament yarn; and,

a plurality of stiff loop yarns extending from the first side of said base substrate, each of said plurality of stiff loop yarns comprising a filament yarn having a denier per filament of at least about 10 denier per filament greater than the multi-filament yarns of the receiving loop yarns, wherein the stiff loop yarns are stiffer than the receiving loop yarns, and wherein receiving loops and the stiff loops originate at about the same location on the first side of the base substrate and return to the first side of the base substrate at about the same location.

30. (New) The article according to Claim 29, wherein the stiff loop yarns include a cross-section having at least one corner edge.

31. (New) The article according to Claim 29, wherein the stiff loop yarns include a cross-section having an aspect ratio of greater than 1.2.

33. (New) The article according to Claim 29, wherein the stiff loop yarns comprise a slit film.

34. (New) The article according to claim 29, wherein the stiff loop yarns have a cross-sectional area that is selected from the group consisting of square shaped, rectangular shaped, tear drop shaped, crescent shaped, multi-lobe shaped, and concave shaped.

35. (New) The article according to claim 9, wherein the stiff loop yarns have a cross-sectional area that is selected from the group consisting of square shaped, rectangular shaped, tear drop shaped, crescent shaped, multi-lobe shaped, and concave shaped.